





MATRIX AXESS  
**670 SC**



---

## MATRIX AXESS

### 670 SC

---

Body length (mm)

**7503**

Total height (mm)

**2810**

Nr. of seats

**5**

Total width (mm)

**2299**

Nr. of berths

**5**

Mass in running order (MRO, kg)

**3014-2991**

## B. DIMENSIONS AND WEIGHTS

|  |               |
|--|---------------|
| Internal height (mm)                         | 2040          |
| Total height (mm)                            | 2810          |
| Body length (mm)                             | 7503          |
| Total width (mm)                             | 2299          |
| Wheel base (mm)                              | 4035          |
| Nr. of homologated seats incl. driver's seat | 5             |
| Maximum authorized weight (kg)               | 3500          |
| Mass in running order (MRO, kg)              | 3014-<br>2991 |
| Maximum towing weight (kg)                   | 2000          |
| Maximum loading weight (kg)                  | 486-509       |

## CA. FIAT CHASSIS

|   |   |
|---|---|
| Fiat 6D 2,3 120HP 35L   | X |
| Fiat 6D 2,3 140HP 35L   | O |
| Fiat 6D 2,3 140HP 43H   | O |
| Fiat 6D 2,3 160HP 35L   | O |
| Fiat 6D 2,3 160HP 44H   | O |
| Fiat 6D 2,3 180HP 44H   | O |
| ECO pack for engine 140 Hp  | O |
| Automatic gear box FIAT - AT9   | O |
| Automatic gear box FIAT AT9 + ALU wheels 16"  | O |
| FBC&LDWS & HBR &TSR(Full br.con.+line dep. war. sys.+sign and high beam recog.+ traffic sign recog) | O |

## CA. FIAT CHASSIS

|  |   |
|--|---|
| Alloy wheels 16" for "H" version FIAT                      | O |
| WHITE 249  | X |
| Lux packet LP1 (inc. LM1,7QP,ADL,6BL)                      | O |
| Wheel trims- bigger  | X |
| Spare wheel FIAT   | O |
| Tyre pressure monitoring system FIAT                       | O |
| Fix&Go Kit (instead of spare wheel) Fiat                   | X |
| Front grille with gloss black paint + black bezel headlamp | O |
| Front fog lights   | O |
| Double electric door mirror with demist function           | O |
| LED daytime running lights FIAT                            | O |
| Fuel tank 60 L   | X |
| Fuel tank 90 L   | O |
| Traction + system with HDC                                 | O |
| ESP  | X |
| Cruise control with speed limiter FIAT                     | O |
| Steel wheels 16"(light 35 L version only)                  | O |
| Alloy wheels 16" for "L" version FIAT                      | O |
| Mud protection for front wheels FIAT                       | O |
| Leather steering wheel and gear box knob                   | O |

## CA. FIAT CHASSIS

|   |   |
|---|---|
| Manual air condition FIAT   | O |
| Lock "DEAD LOCKING"   | O |
| FIAT comfort package CP1 (include 7KM, CJ1, NHR, 4GF)   | O |
| FIAT comfort package CP2 (include 140, 041, CJ1, NHR, 4GF)  | O |
| FIAT comf pack CP0 (radio preinst. with laudspeakers,antena int. in mirrors,cover for seats pedest) | O |
| Automatic air condition   | O |
| Front seats Captain chair with double armrest upholstered in Adria textile                          | X |
| Dashboard Techno trim level aluminium finishing FIAT  | O |
| Co-driver airbag  | O |
| Central cup holder  | O |
| Radio controls on steering wheel without car radio FIAT   | O |

## CB. CITROEN CHASSIS

|   |   |
|---|---|
| Citroen 6D 2,2 140 HP 35L                     | O |
| Citroen 6D 2,2 140 HP 40H                     | O |
| Citroen 6D 2,2 165 HP 35L                     | O |
| Citroen 6D 2,2 165 HP 40H                     | O |
| Citroen 6D 2,2 120 HP 35L                     | X |
| Pack LDWS + HBA + Rain & Dusk sensor Citroen  | O |
| Wheel trims- bigger Citroen                   | X |
| Fix & go kit (instead of spere wheel) Citroen | X |
| ESP Citroen                                   | X |

## CB. CITROEN CHASSIS

|  |            |
|--|------------|
| Steel wheels 16" for 35 L version only CITROEN                               | O          |
| WHITE POWP   | X          |
| Lux packet CLP1 (include VH04+KL10+PR01+FE01+PE01/PE03)                      | O          |
| Spare wheel Citroen  | O          |
| Front fog lights Citroen   | O          |
| LED daytime running lights Citroen   | O          |
| Traction + system Citroen  | O          |
| Cruise control with speed limiter Citroen                                    | O          |
| Alloy wheels 16" for "H" version CITROEN                                     | O          |
| Alloy wheels 16" for "L" version CITROEN                                     | O          |
| Mud protection for front wheels Citroen                                      | O          |
| Tyre pressure monitoring system Citroen                                      | X          |
| Fuel tank (l)  | 90 CITROEN |
| Radio controls on steering wheel without car radio Citroen                   | O          |
| Leather steering wheel and gear box knob Citroen                             | O          |
| Captain front seats Citroen with double armrest upholstered in Adria textile | X          |
| Central cup holder Citroen   | X          |
| Manual air condition Citroen   | X          |
| Co-driver airbag Citroen   | X          |
| Automatic air condition Citroen  | O          |

## CE. ADRIA VEHICLE INFORMATION

|   |                      |
|---|----------------------|
| Emissions rating  | Euro 6D              |
| Homologation extended weight from 35 L on 36,5 L            | O                    |
| Homologation weight reduced from 40 H, 43H and 44 H on 35 H | O                    |
| Ad Blue tank (L)  | 20 CITROEN / 19 FIAT |
| Bicycle carrier preinstalation Fiamma                       | O                    |
| Corner legs   | O                    |
| Spare wheel holder  | O                    |
| ABS + EBD   | X                    |
| Colored front bumpers white                                 | X                    |
| Rear fog lights   | X                    |
| DRL- halogen day time running lights                        | X                    |
| Reinforced "camping car" tires                              | X                    |
| Front drive   | X                    |
| Manual transmission   | X                    |
| Chassis type  | special              |
| Towing hook with el. conn.                                  | O                    |
| Air suspension (rear)                                       | O                    |
| Mud protection for rear wheels                              | O                    |
| Electrical cabine windows (left, right)                     | X                    |
| Cabin seats adjustable in height and deepness               | X                    |

## CE. ADRIA VEHICLE INFORMATION

|   |   |
|---|---|
| Swiveling cabin seats                       | X |
| Trip computer                               | X |
| Driver airbag                               | X |
| Driver and codriver sun-visors              | X |
| Darker cabine windows                       | X |
| Windscreen obscuration with plise           | X |
| Windscreen obscuration for LDW&HBR SEITZ    | O |
| Side cabin windows obscuration with plise   | O |
| Side windows cabin obscuration with curtain | X |

## E. BODY

|   |       |
|---|-------|
| Roof light 400 x 400 mm in shower cabin   | X     |
| Gas bottle compartment, integrated 1x 11 kg                                     | X     |
| Entrance door with window, mosquito net, dustbin, central locking, width 600 mm | O     |
| Gas bottle compartment, integrated 2x 11 kg                                     | O     |
| Entrance door 1- part without window width 600 mm                               | X     |
| Flyscreen for entrance door without window 600 mm                               | O     |
| Windows Seitz S4 with frame and built-in blackout roller blinds and fly screens | X     |
| Side wall of polyester  | white |
| Roof light 400 x 400 mm in bedroom  | X     |
| Roof light 400 x 400 mm in toilet   | X     |
| Poliester outside floor protection  | X     |



## E. BODY

|  |        |
|--|--------|
| Panoramic window Polyplastic with lining on the cap            | X      |
| Panoramic window with lining 400 x 400 behind the liftable bed | X      |
| Bodywork of polyester  | white  |
| Roof rack with ladder  | O      |
| Awning   | O      |
| Third break light  | X      |
| Entrance step with insulation and light                        | X      |
| Body construction COMPREX                                      | X      |
| Side wall skirtings in aluminium                               | X      |
| Luggage door on right side (light dimensions, cm)              | 74x110 |
| Luggage door on left side (light dimensions, cm)               | 74x110 |

## F. INTERIOR EQUIPMENT

|  |             |
|--|-------------|
| Bed with slatted frame and spring mattress | O           |
| White wall lining in bedroom               | O           |
| Beige wall lining in bedroom               | O           |
| Cupboards doors- colour                    | wood decor  |
| Cupboard doors in white glossy colour      | O           |
| Number of berths                           | 5           |
| Sliding rear bed, electric fold-down       | X           |
| Electric fold-down bed in front            | 190x130/110 |
| L-dinette                                  | O           |

## F. INTERIOR EQUIPMENT

|   |                         |   |
|---|-------------------------|---|
| Additional seat with seat belt at zofa        |                         | X |
| ISOFIX installation for child safety seats    |                         | O |
| Double floor in seating area                  |                         | X |
| Bed with slatted frame and special foam       |                         | X |
| Table extension                               |                         | X |
| Furniture decor                               | TEMPO BROWN             |   |
| Holder at entrance                            |                         | X |
| Dinette cushions formed - special foam 120 mm |                         | X |
| Carpets in the living compartment             |                         | O |
| Carpets in the cabin                          |                         | O |
| Carpets in the living compartment "L" dinete  |                         | O |
| Textile standard                              | MT02O1 ARNO             |   |
| Textile optional                              | MT02O0 LEATHER CHARLES  |   |
| Textile optional                              | MT02N8 CECIL            |   |
| Textile optional                              | MT02N9 MABEL            |   |
| Textile optional                              | MT02K5 NATHAN           |   |
| Textile optional                              | MT02L3 SEVERE           |   |
| Textile optional                              | MT02G2 LEATHER EDVARD   |   |
| Textile optional                              | MT02L1 LEATHER MATHISSE |   |
| Cushions SOPHISTICATED CLASSIC                |                         | O |

## F. INTERIOR EQUIPMENT

|  |            |
|--|------------|
| Cushions VIOLET CHICK                  | O          |
| Cushions OCEAN SERENITY                | O          |
| Cushions AUTUMN CALMNESS               | O          |
| Cushions SPRING GARDE                  | O          |
| Cushions CHERRY PUNCH                  | O          |
| Decorative cushions 4 pcs.             | X          |
| Blanket                                | O          |
| Bed coverlet                           | O          |
| Sleeping area, rear berths (l x w, cm) | 195x160    |
| Extended internal height               | O          |
| Front dinette (cm)                     | 210x130/60 |

## G. KITCHEN EQUIPMENT

|  |       |
|--|-------|
| Refrigerator                                 | 142 L |
| Inox sink                                    | X     |
| Sink cover/chopping board                    | O     |
| Extractor fan                                | X     |
| Drainer                                      | O     |
| Cooker 3 flame, electric ignition with cover | X     |

## H. BATHROOM EQUIPMENT

|   |   |
|---|---|
| Shower tray                               | X |
| WC chemical, turnable, passive ventilated | X |
| Separate shower cabin with solid door     | X |

## H. BATHROOM EQUIPMENT

|                        |   |
|------------------------|---|
| Separate shower faucet | X |
|------------------------|---|

## I. WATER INSTALLATIONS

|                      |      |
|----------------------|------|
| Waste water tank (l) | 85 L |
|----------------------|------|

|   |   |
|---|---|
| Waste water tank isolated with adjustable heating 85 L / van 70 L | O |
|---|---|

|   |        |
|---|--------|
| Fresh water tank with external inlet and regulation (l) | 20/140 |
|---|--------|

|                           |   |
|---------------------------|---|
| Waste water omission tube | O |
|---------------------------|---|

|                     |   |
|---------------------|---|
| Pressure water pump | X |
|---------------------|---|

## J. ELECTRICITY

|   |   |
|---|---|
| USB power socket in living room and bedroom | X |
|---|---|

|                 |   |
|-----------------|---|
| DC/DC converter | O |
|-----------------|---|

|                                    |   |
|------------------------------------|---|
| Auxiliary battery 100Ah, AGM; k=10 | O |
|------------------------------------|---|

|                               |   |
|-------------------------------|---|
| Main security switch for 230V | X |
|-------------------------------|---|

|                          |   |
|--------------------------|---|
| Main electric switch 12V | X |
|--------------------------|---|

|                    |   |
|--------------------|---|
| Ambient LED lights | X |
|--------------------|---|

|                    |   |
|--------------------|---|
| Ceiling LED lights | X |
|--------------------|---|

|                              |   |
|------------------------------|---|
| Light in luggage compartment | X |
|------------------------------|---|

|                   |   |
|-------------------|---|
| Light in wardrobe | X |
|-------------------|---|

|               |   |
|---------------|---|
| Electro block | X |
|---------------|---|

|                                    |   |
|------------------------------------|---|
| Preinstallation for satellite dish | X |
|------------------------------------|---|

|                                  |   |
|----------------------------------|---|
| Preinstallation for solar panels | X |
|----------------------------------|---|

|                  |   |
|------------------|---|
| Awning LED light | X |
|------------------|---|

|                                  |   |
|----------------------------------|---|
| Place for the additional battery | X |
|----------------------------------|---|

## J. ELECTRICITY

|                               |   |
|-------------------------------|---|
| Spot LED lights               | X |
| Control panel                 | X |
| Power sockets 230 V           | X |
| 12V socket                    | X |
| 12V and 230V socket in garage | X |
| Fire extinguisher             | O |

## K. HEATING/AIR CONDITIONING

|  |   |
|--|---|
| Roof-mounted air conditioning system Truma Aventa Comfort 2400 | O |
| Luggage box - heated   | X |
| Preinstallation for air condition                              | X |
| Gas heater Truma Combi 4 with boiler                           | X |
| Gas-electric heater Truma Combi 4E with boiler                 | O |
| Gas heater Truma Combi 6 with boiler                           | O |
| Gas-electric heater Truma Combi 6E with boiler                 | O |
| Digital control panel Truma                                    | X |
| Electrical floor heating with transformer                      | O |

## L. GAS

|   |   |
|---|---|
| Gas regulator Truma MonoControl CS 30 mbar GV | X |
| Gas filter Truma                              | O |

## M. AUDIO/VIDEO

|   |   |
|---|---|
| Reverse driving camera                      | O |
| Preinstallations for reverse driving camera | X |
| Alarm device                                | O |

## M. AUDIO/VIDEO

|  |   |
|--|---|
| TV holder  | O |
| TV cupboard / place for TV                               | X |
| Set ORCA PRO 360 with monitor (4 cameras and 7" monitor) | O |
| Preinstallation for TV (230V, 2x 12V, antenna socket)    | X |