





AVIVA
563 PT



AVIVA 563 PT

Total length including drawbar (mm)

7590

Total height (mm)

2580

Mass in running order (MRO, kg)

1220

Total width (mm)

2450

Nr. of berths

7

B. DIMENSIONS AND WEIGHTS

| | |
|--|--------------|
| Internal height (mm) | 1950 |
| Total height (mm) | 2580 |
| Total length including drawbar (mm) | 7590 |
| Body length (mm) | 6154 |
| Internal length (mm) | 5652 |
| Total width (mm) | 2450 |
| Internal width (mm) | 2310 |
| Awning perimeter dimensions (body/chassis, cm) | 1012/592 |
| Flat roof length | 4368 |
| Ex-Works weight (kg) | 1123 |
| Mass in running order (MRO, kg) | 1220 |
| Maximum technically permissible laden mass (MTPLM, kg) | 1500 |
| Floor, wall and roof total thickness (mm) | 40/22,9/23,8 |
| Maximum loading weight (kg) | 280 |
| Technically possible weight (optional MTPLM, kg) | 1800 |
| Floor, wall and roof insulation thickness (mm) | 29/20/20 |

CE. ADRIA VEHICLE INFORMATION

| | |
|--|---------------|
| Increased MTPLM to 1800 kg with AKS and steel wheels | O |
| Coupling device AK | 150V AK160 |
| Tyres size | 185 R14 C 102 |
| Tyres service kit | O |

CE. ADRIA VEHICLE INFORMATION

| | |
|---------------------------------|-------|
| Reinforced supporting legs | X |
| Wheel trims | O |
| Coupling device - stabilizer | O |
| Spare wheel with holder | O |
| Spare wheel for 1700 kg chassis | O |
| Steel wheels | X |
| Shock absorbers | O |
| Standard axle | X |
| Chassis type | AL-KO |
| Number of axles | 1 |
| Mud protection | O |

E. BODY

| | |
|--|---|
| Front and rear wall lining in thermoformed ABS | X |
| Entrance door 2-part without window | X |
| Entrance door 2-part with window | O |
| Flyscreen whole door | O |
| Flyscreen - upper part | O |
| Side wall in aluminium | X |
| Blackout roller blinds with flyscreen on all windows, except bathroom window | X |
| Opening windows all | X |
| Adria windows darker | X |

E. BODY

| | |
|--|--------------------|
| Roof light Midi Heki 700 x 500 mm | O |
| Roof light Mini Heki single glazed, 150cm ² ventilation | X |
| Bodywork of polyester | X |
| Third break light | X |
| Double glazed front windscreen | X |
| Floor insulation Styropor | X |
| Side wall skirtings in thermoformed ABS | X |
| Gas bottle locker | X |
| Movable entrance step | O |
| Luggage door on left side (light dimensions, cm) | 136 x 106, 98 x 36 |

F. INTERIOR EQUIPMENT

| | |
|-------------------------------------|--------------------------------|
| Number of berths | 6 (7 optional with P 3) |
| Sleeping area, bunk bed (l x w, cm) | 195 x 72 (+1 x opt.), 187 x 69 |
| Furniture decor | Lidberg Eiche + Lucida white |
| Sleeping area, front berths (cm) | 190 x 136 |
| Textile standard | MT02E6 BAHIA |
| Textile optional | MT02M1 FLORIAN |
| Textile optional | MT02N6 ROBYN |
| Textile optional | MT02N7 OLIVIA |
| Cushions Warm Brownies | O |
| Cushions Grey planet | O |

F. INTERIOR EQUIPMENT

| | |
|--|--------------------|
| Cushion Summer vibes | O |
| Cushions Dream harmony | O |
| Cushions Mystic garden | O |
| Cushions Brownies | O |
| Decorative cushions 4 pcs. | X |
| Kids Adventure Pack | O (only with P 3) |
| Sleeping area, central berths (cm) | 194 x 110/98 |
| Bed coverlet | O |
| Table with wooden profile and telescopic leg | O |
| Cupboards Classic | O |
| Shelves in kitchen | O |

G. KITCHEN EQUIPMENT

| | |
|---|-------|
| 3-flame gas cooker with electric ignition, glass cover and stainless steel sink | X |
| Refrigerator | 140 L |
| Sink cover/chopping board | O |
| Kitchen taps (cold & hot water) | X |
| Microwave oven | O |
| Microwave oven preinstallation | X |
| Chuck box (outside kitchen) | O |

H. BATHROOM EQUIPMENT

| | |
|-----------------------------------|---|
| Bathroom taps (washing+showering) | X |
| Shower tray | X |

H. BATHROOM EQUIPMENT

| | |
|---|---|
| WC chemical, turnable, passive ventilated | X |
| Separate shower cabin with solid door | X |
| Separate shower faucet | X |
| Toiletry to go | O |

I. WATER INSTALLATIONS

| | |
|--|------|
| Waste water tank (l) | O |
| Fresh water tank with external inlet (l) | 50 L |
| Boiler Truma Therme 5 L | X |
| Central waste water outlet | X |

J. ELECTRICITY

| | |
|--|---------|
| Main fit switch | X |
| Ceiling LED lights | X |
| Preinstallation for roof clima device | X |
| USB switch | X |
| Awning LED light | X |
| Preinstallation for charger with battery box | X |
| Preinstallation for charger with battery box and external multifunctional outlet | O |
| Control panel | X |
| Power sockets 230 V | X |
| Battery charger | X / 17A |
| TV aerial connector with coaxial cable | X |
| 13-pin socket Jaeger | X |

J. ELECTRICITY

Additional spot lights in sitting area X

K. HEATING/AIR CONDITIONING

Gas heating stove Truma S3004 X (only with Truma P)

Preinstallation for air condition X

Hot-air distribution Trumavent O (only with Truma P)

Additional electric heater Truma Ultraheat O (only with Truma P)

Preinstallation for additional electric heater Truma Ultraheat - preinstallation X (only with Truma P)

Electrical floor heating with transformer O (only with Truma P)

L. GAS

Gas bottle holder X

Gas bottle compartment 2 x 11 kg 1 x 11kg

Gas regulation valve X

Smart box one O

Smart box two O

M. AUDIO/VIDEO

Bluetooth amplifier O

Loudspeakers with preinstallation for bluetooth transmitter X

TV holder O